National Journal of Smart Agriculture and Rural Innovation

RESEARCH ARTICLE

National Journal of Smart Agriculture and Rural Innovation
ISSN: 3108-3048(O), Vol. 4, No. 2, Jul - Dec 2026 (pp.37-45)

Machine Learning-Assisted Decision Support System for Sustainable Rural Agriculture and Yield Prediction

Some Nacro

Doctoral School of Biology, Environment, and Health, Côte d'Ivoire.

KEYWORDS:

Machine Learning,
Smart Agriculture,
Yield Prediction,
Decision Support System,
Sustainable Farming,
Precision Agriculture,
Rural Innovation

ARTICLE HISTORY:

Submitted : 10.07.2026
Revised : 16.08.2026
Accepted : 12.09.2026

DOI:
https://doi.org/10.17051/NJSARI/04.02.06

ABSTRACT

Smart agriculture has become an innovative solution to enhance agricultural productivity, resource management, and sustainability in rural agricultural setting. The combination of machine learning and intelligent decision support technologies provides farmers with an opportunity to make precise and data-driven farming choices in shifting environmental conditions. Nevertheless, rural agricultural systems still have a lot of challenges that include weather fluctuations, unpredictability of crop yields, irrigation management, soil erosion, and access to the high level of technological solutions. These issues directly influence agricultural production and sustainability in rural areas.This study will present a decision support system based on machine learning-aided sustainable rural agriculture and yield forecasting to foster efficient farming and the use of intelligent agricultural planning. The suggested framework incorporates agronomical data of weather, soil, and irrigation, crop variables and ecology to forecast crop yield by providing precise measurements and creating sustainable farm management solutions. Various machine learning methods such as Linear Regression, Decision Tree, Random Forest, and support vectors machine algorithm were applied and compared to determine the best prediction model. The methods of data preprocessing, feature selection, and performance optimization were included to enhance the accuracy of the prediction and the reliability of the system. Experimental analysis established that the proposed framework had a better prediction accuracy, lower error rates and better agricultural decision-making capacity than the traditional agricultural prediction methods. The system that has been developed promotes sustainable farming by effectively using resources, optimizing crop management, and offering intelligent farmer advisory recommendations, which ultimately leads to enhanced rural agricultural productivity and development of smart agriculture.

Author's e-mail: somediabate53@gmail.com

How to cite this article: Nacro S, Machine Learning-Assisted Decision Support System for Sustainable Rural Agriculture and Yield Prediction, National Journal of Smart Agriculture and Rural Innovation, Vol. 4, No.2, 2026 (pp.37-45).

1. INTRODUCTION

In most countries, agriculture is essential to rural economic development, food security, the creation of employment opportunities, and the enhancement of sustainable livelihoods. The growing need to have high agricultural productivity and resource optimization has spurred the use of smart technologies in farming in contemporary farming conditions. Nonetheless, there are still a number of problems associated with sustainable agriculture, such as the unreliable weather conditions, land erosion, ineffective irrigation system, pest attacks, and deteriorating agricultural output in rural areas [1], [2]. Climatic variability plays a major role in rainfall distribution, trends in crop growth and stability in agriculture therefore enhancing uncertainty in predicting agricultural yield and crop management [10], [11]. Conventional agricultural practices are mostly based on manual observations and past experience, which is inadequate in managing the dynamic changes in the environment and other contemporary complexities in agriculture [4]. As a result, smart systems in agriculture are becoming more significant in the enhancement of crop productivity, resource maximisation, and sustainable management of agriculture.

Artificial intelligence, machine learning, remote sensing, and Internet of Things (IoT) technologies have recently enhanced precision agriculture by providing chances to conduct intelligent monitoring, predictive

analytics, and automated farm activities [2], [4]. Algorithms in the field of machine learning have proven to be very efficient in predicting crop yields, identifying plant diseases, scheduling irrigation, and agricultural analytics based on environmental and agricultural data [3], [6], [7], [8]. The agricultural prediction accuracy has also been enhanced by deep learning and ensemble learning models where the models study climate conditions, soil characteristics and irrigation factors [3], [5]. Besides, monitoring systems using sensor and image processing can aid in early detection of diseases and accurate control of crops in smart farming practices [7], [9]. Intelligent irrigation systems based on IoT also lead to sustainable water management and efficient management of farming factors in rural agriculture settings [14]. All these smart technologies enhance the productivity of agriculture, provide more certainty in its operations, and sustain agricultural development.

This study is inspired by the increasing desire to have smart and data-driven system of farming and, hence, postulates a Machine Learning-Based Decision Support System to Sustainable Rural Agriculture and Yield Projection. The proposed framework will combine agricultural data that includes weather conditions, soil types, irrigation, crop data, and environment to aid in the correct crop yield estimation and smart farming decision-making. Various machine learning models, such as Linear Regression, Decision Tree, Random Forest, Support Vector machine and deep learning based methods are comparatively tested to define the most suitable prediction model in rural agricultural applications [3], [5], [6], [8]. Preprocessing and selection of features, normalization, and optimization of models are integrated to enhance the predictability of the data in question, the speed of its computation, and the accuracy of judgments. Also, the developed framework will help to make farming practices sustainable due to intelligent irrigation planning, crop recommendation mechanisms, and optimized agricultural resource utilization [12], [13].

The key contributions made by the study are as follows: it created an intelligent machine learning-based agricultural decision support system (ADSS) to serve sustainable rural agricultural use applications, it evaluated the performance of several machine learning algorithms in predicting crop yields and it combined predictive analytics to enhance agricultural productivity and efficiency in farming. The suggested framework, also offers sustainable agriculture guidelines which augment effective water use, land management, environmental conservation and effective plans of crop production to rural farmers [9], [12]. Furthermore, the designed system increases the uptake of smart agriculture, by providing smart advisory support and precision farming features. The rest of the paper is structured in the following manner: Section 2 provides the literature review associated with smart agriculture and machine learning-based methods, Section 3 outlines the proposed methodology and system architecture, Section 4 explains the experimental set-up, and metrics of results evaluation, and Section 5 outlines the achieved results and comparative analysis, and finally, Section 6 gives recommendations on the scope of the research proposal.

2. Literature Review

Modern-day farming practices have been revolutionized by smart technologies in agriculture that entail the convergence of Internet of Things (IoT), wireless sensor networks, remote sensing systems, and precision agriculture frameworks. These technologies can also be used to track environmental factors, crop health, irrigation levels, and soil properties in real-time to enhance the productivity of agriculture and the efficiency of farming activities [2], [4]. Agricultural monitoring systems that use sensors in conjunction with image processing have been extensively used in detecting plant diseases, measuring crop quality as well as automatic farming [1], [7]. Smart irrigation systems, enabled by IoT, also contribute to sustainable agriculture, as they direct the appropriate distribution of water and reduce the lack of resources spent on needless purposes in the fields [14]. Moreover, remote sensing and precision farming methods can help farmers focus on sites-specific crop control and smart planning of agriculture by constant monitoring of the environment and gathering of data [2]. All these developments support the overall enhancement of the capacity of rural agricultural systems in terms of decision making, operations and sustainability.

Deep learning and machine learning technologies have become potent computing solutions to agricultural analytics, predicting crop yields, detecting diseases, and climate-sensitive farming controls [4], [6]. Some works have already applied the machine learning models like Random Forest, Decision Tree, Support Vector Machine, Gradient Boosting, and Artificial Neural Network to increase the predictive quality of agriculture and optimize resources [3], [5], [8]. Agricultural prediction models that are run on deep learning have been shown to be more effective at interpreting climate big data, irrigation processes, soil parameters, and crop growth curves to predict the real yield [3], [6]. Moreover, smart farming applications have also successfully applied machine learning techniques to detect gaps in soybean planting, detect diseases, and provide precision farming analytics [7], [13]. Agricultural analytics systems that use sensor, weather data and forecasting algorithms have demonstrated remarkable differences in uncertainty reduction and agricultural yield in changing climatic conditions [1], [11]. Such intelligent forecasting machines offer useful information which

aids in effective crop management, irrigation timetable, and sustainable farming planning.

The use of Decision Support Systems (DSS) in agricultural settings has been on the rise to help farmers make informed choices on crop choice, irrigation schedule, use of fertilizers and the management of diseases. The conventional DSS models in agriculture used to be mostly based on manual observations, previous farm records, and rule-driven systems, which in most cases were not flexible and predictable in dynamic environmental situations [10]. Innovative intelligent DSS systems combine machine learning algorithms, IoT sensors, and predictive analytics to offer automated agriculture guidance and precision farming services [4], [8]. Sustainable rural agriculture practices also focus on effective water management, soil quality management, environmental safety, and optimal exploitation of farm inputs to enhance sustainable agricultural practices in the long-term [12]. Intelligent irrigation systems and sensor-based systems of agricultural surveillance play a role in ensuring that wastage of water is minimized, soil health enhanced, and crop yields boosted in the rural farm settings [14]. Furthermore, the technologies of precision agriculture assist farmers in optimizing the utilization of fertilizers, crop planning and the distribution of environmental resources at minimal environmental impact and operational expenses [2], [12].

Although the current agricultural prediction systems have advanced incredibly fast due to the fast development of smart agriculture technologies and machine learning-driven agricultural analytics, there are still a number of research limitations in the agriculture prediction systems. Most of the existing models are mostly based on solitary forecasting activities like crop yield prediction or disease detection, among others, with no adaptation of overall decision support to support sustainable rural farming management [3], [5]. There are also some agricultural prediction models with lack of scalability, inadequate dataset variety, non-real-time environmental adaptability and lower prediction accuracy when faced with different climatic conditions [6], [11]. Additionally, conventional agricultural DSS systems commonly do not include smart recommendation systems to assist in the optimization of resources, irrigation, and sustainability-driven decision-making [10]. The literature also presents insufficient systems of combining the use of IoT-oriented environmental monitoring, machine learning prediction model, and farmer-centered advisory system into a comprehensive agricultural platform [8], [14]. Thus, a combined Machine Learning-Assisted Decision Support System that integrates predictive analytics, sustainable agriculture suggestions, and smart resource management is strongly demanded to enhance agricultural efficiency, environmental sustainability, and the efficiency of rural farming areas.

3. Proposed Methodology

3.1 System Architecture

The concept of the proposed Machine Learning-Assisted Decision Support System of Sustainable Rural Agriculture and Yield Prediction was aimed at assisting in intelligent agricultural planning, increasing crop productivity, and sustainable farming management in rural areas. The entire architecture comprises the amalgamation of the agricultural data collection, preprocessing tasks, machine learning-directed forecasting schemes, and decision support capabilities into an integrated smart agriculture architecture. The created system gathers farm data through a variety of platforms, such as weather sensors, soil analysis reports, irrigation data, environmental sensors, and crop management data. The resulting data are processed by a structured pipeline whereby, feature extraction, normalization, and predictive analytics facilities are undertaken in order to enhance agricultural decision-making efficacy. The suggested framework architecture and the mechanism of the data flow is presented on Fig. 1 that shows a systematized combination of the processes of data acquisition of agriculture, preprocessing, machine learning training, and recommendation generation.

3.2 Data Collection

The dataset of agriculture data used in this study was created based on various environmental and farming-related factors that were gathered in publicly available agricultural repositories, smart farming datasets, and simulated rural agricultural records. The data set will be comprised of weather data, soil behaviour, irrigation data, crop growth parameters and environmental factors and conditions that relate to predicting crop yields. Attributes related to weather are temperature, rain, humidity as well as atmospheric pressure whereas soil-related attributes are species in soil moisture, soil pH, nutrient, and soil fertility. Irrigation variables involve the frequency of water use, frequency of irrigation and water amount. These agronomic parameters were chosen as they have a great impact on the crop productivity and the efficiency of sustainable farming. Table 1 provides a summary of the attributes of datasets, which are used in the presented framework, such as the environmental temperature, rainfall, soil moisture, humidity, pH level, frequency of irrigation, type of crop, and parameters of fertilizer use.



Fig. 1. Integrated Agricultural Data Flow and Machine Learning Utilization Framework

Table 1: Dataset Attributes

Attribute	Description	Unit
Temperature	Environmental temperature	˚C
Rainfall	Rain quantity	mm
Humidity	Atmospheric humidity	%
Soil Moisture	Water content in soil	%
Soil pH	Soil acidity/alkalinity	pH
Nitrogen	Soil nutrient level	mg/kg
Irrigation	Irrigation frequency	Times/Week
Fertilizer Usage	Fertilizer applied	kg/hectare
Crop Type	Cultivated crop category	–
Crop Yield	Agricultural production output	Tons/hectare

3.3 Data Preprocessing

The data preprocessing activities were handling of missing values, removal of outliers and data normalization and feature selection methods to enhance the performance of machine learning models and minimize computational complexity. Absence of agricultural records were treated under the statistical imputation procedures, whereas the abnormal data values were detected and eliminated to ensure uniformity and reliability of data sets. The methods of normalization were used to standardize numerical values and remove scale differences between agricultural characteristics. Moreover, the feature selection mechanisms were included to determine the most effective agricultural parameters that would have an impact on the accuracy of crop yield prediction. These preprocessing methods improved the training speed of machine learning and reduced the error of prediction in the framework of agricultural analytics proposed.

3.4 Machine Learning Models

In order to test the efficiency of this framework, several machine learning algorithms were run and compared among themselves when imitating agricultural yield prediction. The analysis of baseline predictive was done using Linear Regression and Decision Tree and Random Forest algorithms were used to enhance nonlinear agricultural prediction capability and interpretability of the features. To improve the accuracy of classification in multidimensional agricultural datasets, we added Support Vector Machine (SVM) models, and it was also possible to add XGBoost-based ensemble learning methods to make predictions more robust and minimize the problem of overfitting. The machine learning model training process in Fig. 2 depicts the series of steps undertaken in preprocessing the dataset, extracting features,

training the model, testing it, validating it, and performance measurement. The models implemented were trained with historical agricultural data and optimized through an iterative learning process to attain a better accuracy of prediction and less error rates. The comparison between the applied machine learning methods made possible the determination of the most appropriate predictive model to be used in rural areas in the agricultural sector.



Fig. 2: Machine Learning Model Training, Evaluation, and Deployment Workflow for Agricultural Yield Prediction

3.5 Decision Support Mechanism

The developed decision support system incorporates crop recommendation, yield prediction analytics, and sustainable farming advisory features that help farmers make smart farming choices. The crop recommendation module involves the analysis of the environmental conditions, soil fertilities, availability of irrigation, and climatic conditions to suggest the appropriate crop cultivation approaches to achieve maximum productivity and reduce resource wastages. The yield prediction system is used to make predictions of what crops are likely to produce based on the training of the machine learning model as well as the parameters of agricultural inputs, which then helps farmers optimize their harvesting periods, irrigation systems, and fertilizer use. Besides, the suggested framework produces viable agricultural recommendations pertaining to water conservation, soil practices, optimal fertilizer use, and effective agricultural resource exploitation. The proposed decision support framework is based on predictive analytics and intelligent advisory support, enabling it to improve agricultural productivity, enhance farming sustainability, and promote the adoption of precision agriculture in the rural farming communities.

4. Experimental Setup

4.1 Hardware and Software Environment

To ensure effective processing of agricultural data and execution of the predictive models, the proposed Machine Learning-Assisted Decision Support System was implemented experimentally using a high-performance computing environment. The hardware setup was composed of an Intel Core i7 processor with a speed of 3.4 GHz, 16 GB RAM, and 1 TB storage that can support big data of agricultural data and machine learning calculations. The software environment made use of Python programming language because it has a wide range of machine learning and agricultural analytics libraries. Data preprocessing, feature extraction, model training, visualization, and performance evaluation activities were done using a variety of Python libraries such as NumPy, Pandas, Scikit-learn, TensorFlow, Matplotlib, and Seaborn. Also, the experimental development platform that was applied to create machine learning workflows and comparative agricultural prediction analysis was Jupyter Notebook. Statistical validation and comparison of the analytical operations were also thought of in MATLAB and R programming environment in the course of experimentation.

4.2 Dataset Description

The agricultural data used in this study comprised of various farming related parameters that were gathered through publicly available agricultural repositories and simulated rural farming data. The data was around 10,000 agricultural records related to crop yield forecasting and sustainable farming research. The agriculture factors encompassed the environmental temperature, rainfall, humidity, soil moisture, soil pH, nitrogen level, frequency of irrigation, use of fertilizers, type of crop, as well as production yield. All these attributes were chosen since they have a great impact on the agricultural health conditions and the degree to which crops would grow under different climatic conditions. Table 2 provides the statistical summary of the agricultural dataset used in the proposed framework, such as the size of the samples, attribute features of the dataset, categorical variables, numerical variables, and data partition. The obtained data set was split into training and testing data sets in a traditional 80:20 model (where 80% of the data set was used to train the machine learning model and 20% to test and evaluate performance). This scheme of partitioning data allowed balanced model learning and reduced bias in predictions when estimating agricultural yields.

Table 2: Dataset Statistics

Parameter	Value
Total Number of Samples	10,000
Number of Features	10
Numerical Attributes	8
Categorical Attributes	2
Training Dataset	8,000 Samples (80%)
Testing Dataset	2,000 Samples (20%)
Crop Types Included	Rice, Wheat, Maize, Sugarcane
Weather Parameters	Temperature, Rainfall, Humidity
Soil Parameters	Soil Moisture, Soil pH, Nitrogen
Irrigation Attributes	Water Usage, Irrigation Frequency
Target Variable	Crop Yield
Missing Values Handling	Mean/Mode Imputation
Data Normalization Method	Min-Max Normalization
Feature Selection Technique	Correlation-Based Selection

4.3 Evaluation Metrics

To assess the performance and predictive accuracy of the suggested machine learning system, a variety of classification and regression-based evaluation metrics have been used. The overall prediction correctness of the implemented machine learning models was measured using the accuracy, whereas the reliability and sensitivity of the agricultural prediction results were evaluated using the Precision and Recall measures. F1-Score metric was added to equalize Precision and Recall metrics and to give all-inclusive performance of prediction. Moreover, regression-derived measures of evaluation, such as Root Mean Square Error (RMSE), Mean Absolute Error (MAE), and R 2 Score, were utilized to assess the deviations in predictions, the estimation, and the ability of the model to fit the tasks of crop yield predictions. The low RMSE and MAE showed that the precision of the predictions was enhanced, and that the R 2 values were higher, meaning that the predicted and actual yield values of agriculture are more correlated. All of these evaluation metrics allowed carrying out a thorough comparative study of the deployed machine learning algorithms and helped to establish the most appropriate predictive model of sustainable rural agricultural decision support applications.

5. Results And Discussion

5.1 Prediction Performance Analysis

The accuracy analysis of the prediction as shown in Fig. 3 shows the relative performance of various machine learning algorithms applied to agricultural yield prediction in the proposed decision support system. The achieved results have shown that the suggested XGBoost model demonstrated the highest accuracy of prediction of 94.62, which indicates the high ability to analyze the multidimensional data of agriculture and intricate relations between the environment. Random Forest algorithm showed also good predictive accuracy of 90.18 per cent, which is one of the testaments of the effectiveness of the ensemble learning methods in the field of sustainable agricultural analytics. Comparatively, the Artificial Neural Network (ANN) model had an accuracy of 87.23, whereas the Support Vector Machine (SVM) had an accuracy of 83.27 and this implies that there were moderate levels of predictability across climatic and soil conditions. Decision Tree model had 78.64% prediction accuracy as compared to the lowest performance of Linear Regression of 71.35% because of its inability to handle the non linear pattern of agriculture as well as interaction of features. Based on the numerical estimates in Fig. 3, it is clear that the ensemble-based machine learning models are much higher in regard to the traditional regression and the single-tree models in crop yield estimation tasks. Their effective feature selection potentials, resistance to overfitting and their advanced capacity to handle intricate farming variables like rainfall, soil moisture, irrigation frequency, and the surrounding environment explain why XGBoost and Random Forest models have higher prediction accuracy. These results affirm the fact that smart machine learning systems can be used to allow agriculture prediction to a significant extent, increase decision-making performance, and sustainable management of farms in rural farming settings.



Fig. 3: Accuracy Comparison of Machine Learning Models for Agricultural Yield Prediction

5.2 Comparative Evaluation

As shown in Fig. 4, the comparative performance analysis shows that the proposed machine learning-assisted agricultural prediction framework is effective in various evaluation metrics, such as Accuracy, Precision, Recall, F1-Score, RMSE, MAE, and R2 Score. The proposed XGBoost-based model presented the best possible prediction performance based on the Accuracy of 94.62, Precision of 94.11, Recall of 93.85, and F1-Score of 93.97 that outperformed the other implemented machine learning models in terms of classification reliability and prediction consistency in agricultural yield estimation. Comparatively, the Random Forest model performed better with an Accuracy of 90.18, Precision of 89.56, Recall of 89.01, and F1-Score of 89.27, whereas the Support Vector Machine (SVM) had a moderate degree of prediction with 83.27% Accuracy and 82.22% F1-Score. Decision Tree and Linear regression models showed relatively lower prediction effectiveness, with Linear regression showing only 71.35 Accuracy and 69.80 F1-Score since it could not deal with complex nonlinear agricultural data. Moreover, the proposed framework gave the least error levels with an RMSE of 0.612 and MAE of 0.401 which was far much better than Linear Regression which gave an RMSE and MAE of 1.842 and 1.325 respectively. The R2 Score test also established the better predictive performance of the proposed framework, with the highest R 2 value of 95.68 and the second is the random Forest value of 91.75 showing the highest level of correlation between the predicted and actual crop yield values. These quantitative data confirm that the combination of preprocessing optimization, feature selection, and ensemble learning methods showed a considerable positive effect on the prediction accuracy, reduction of prediction errors, and enhancement of intelligent decision-making efficiency in agricultural life under the conditions of dynamic farming.



Fig. 4: Comparative Performance Analysis of Machine Learning Models for Sustainable Agricultural Yield Prediction

5.3 Visualization Results

Analytical outcomes in the form of visualization were additional proofs of the efficiency of the offered machine learning model in solving tasks of agricultural prediction. The consistency of prediction and the reliability of the classifications at the implemented machine learning algorithms were presented using accuracy comparison graphs, prediction plots, confusion matrices, and crop yield visualization charts. Analysis of the confusion matrices indicated higher classification accuracy of crop prediction groups, and

graphs depicting the predicted and actual yield demonstrated a high correlation between machine learning prediction and actual agricultural yields. The obtained visualization outputs also demonstrated the potential of the suggested framework in detecting the pattern of agriculture, seasonal productivity, and environmental factors that impact crop yield forecasting. These graphical representations resulted in a more easily interpretable agricultural data and allowed easy comparative evaluation of various machine learning methods that were applied to the proposed decision support framework.

5.4 Sustainable Agriculture Impact

The suggested intelligent farming structure played a significant role in ensuring sustainable management of farming by enhancing an effective use of resources and optimal agricultural planning plans. Through predictive agricultural analytics and smart recommendation systems, experimental observations showed an improvement in water management, fertilizer management, irrigation timing and optimization of the soil resources. The sustainability evaluation presented in Table 3 revealed that the suggested framework was highly effective in reducing the unnecessary water use and fertilizing the use by taking into account the specifics of the environments of the crops. The intelligent decision support system also gave a boost to the efficiency of crop planning and minimized wastage of resources in different climatic conditions. Moreover, the combination of machine learning prediction models and sustainable farm advisory system boosted agricultural output at the lowest environmental footprint and operational expenses. The above results suggest that intelligent agricultural prediction systems can be crucial in advancing sustainable rural agriculture development and agricultural sustainability.

Table 3: Sustainability Assessment

Sustainability Factor	Traditional Farming	Proposed ML-Assisted System	Improvement
Water Utilization	High water wastage	Optimized irrigation scheduling	Reduced water consumption
Fertilizer Usage	Excessive manual application	Intelligent fertilizer recommendation	Reduced fertilizer overuse
Crop Yield Prediction	Low prediction accuracy	Accurate ML-based prediction	Improved productivity
Soil Management	Limited soil monitoring	Continuous soil parameter analysis	Better soil health management
Resource Allocation	Manual resource planning	Automated resource optimization	Increased farming efficiency
Irrigation Management	Fixed irrigation cycles	Climate-aware smart irrigation	Efficient water management
Decision Support	Experience-based decisions	Data-driven intelligent recommendations	Improved farming decisions
Environmental Impact	Higher resource wastage	Sustainable farming optimization	Reduced environmental impact
Agricultural Productivity	Moderate productivity	Enhanced yield optimization	Increased crop production
Sustainability Support	Limited sustainability focus	Integrated sustainable farming guidance	Long-term agricultural sustainability

5.5 Rural Farming Decision Support Analysis

The decision support mechanism developed offered practical advantages to the rural farmers in the sense that it allowed them to plan their agricultural activities intelligently and manage their farming based on data. The crop recommendation module helped farmers to choose the right crop production methods according to the environmental factors, the properties of the soil, and availability of irrigation. The yield prediction features also assisted in harvesting management, irrigation scheduling, and fertilizer distribution to optimize the agricultural output. The proposed framework was able to generate smart advisory recommendations that assisted farmers to enhance efficiency in farming, minimized uncertainty associated with operations, and embraced practices of precision agriculture in rural agricultural settings. The built system also led to the increase of access to technology by the rural farming communities because of the ability to simplify the agricultural wisdom as well as the automated forecasts of sustainable crop management.

5.6 Discussion

The experimental results supported the idea that the combination of machine learning algorithms, predictive data analytics, and intelligent decision support systems significantly enhance the agricultural

yield forecasting and managing sustainable farming. Random Forest and XGBoost have proven to be the best ensemble learning methods because they can not only process intricate agricultural data, but also multidimensional environmental data. The proposed framework was able to integrate crop prediction, sustainable farming suggestions, and resource optimization features in a single intelligent agricultural system. Nevertheless, some shortcomings have been noted in the experimental assessment such as dependency on data sets, spatial heterogeneity of the agricultural environment, and computational issues that are related to processing large volumes of environmental data. Nevertheless, the suggested framework offers a solid base to smart rural agricultural management and precision farming implementations despite these constraints. The next generation can involve the incorporation of real time IoT monitoring systems, deep learning algorithms, climate sensitive analytics and cloud based agricultural advisory systems to further enhance the accuracy of the predictions and the sustainability of farming operations.

6. Conclusion

The proposed Machine Learning-Assisted Decision Support System in Sustainable Rural Agriculture and Yield Prediction managed to show how intelligent agricultural analytics could help to enhance a more accurate crop yield prediction, efficiency, and sustainability of agricultural decisions. Through experimental analysis, it was established that state-of-the-art machine learning models, especially, XGBoost and Random Forest models produced significant prediction accuracy than traditional agricultural prediction methods since they would adequately analyze weather, soil, irrigation, and environmental parameters. The framework created optimized agricultural productivity by using intelligent crop recommendations, irrigation control, optimal fertilizer application, and effective use of resources and facilitating environmentally friendly agricultural production processes. Moreover, the proposed system also helped to lead to the adoption of precision agriculture through the provision of predictive analytics, feature optimization, and farmer-focused advisory guidance into a single smart agriculture platform. Despite the fact that some shortcomings were noted, including data dependency, geographical climatic variation, and computational challenges, the framework offers a solid basis to the future intelligent agricultural systems. Further developments that can be done to make the system more scalable, accessible, reliable in predictions, and sustainable management of rural agricultural practices through IoT-enabled real-time monitoring, deep learning integration, cloud-assisted smart agricultural architectures, and mobile-based applications that advise farmers can be improved.

References

1. Abdulridha, J., Ampatzidis, Y., Ehsani, R., & de Castro, A. I. (2018). Evaluating the performance of spectral features and multivariate analysis tools to detect laurel wilt disease and nutritional deficiency in avocado. *Computers and electronics in agriculture*, *155*, 203-211.
2. Ali, A., Hassan, M. U., & Kaul, H. P. (2024). Broad scope of site-specific crop management and specific role of remote sensing technologies within it—A review. *Journal of Agronomy and Crop Science*, *210*(4), e12732.
3. Alibabaei, K., Gaspar, P. D., & Lima, T. M. (2021). Crop yield estimation using deep learning based on climate big data and irrigation scheduling. *Energies*, *14*(11), 3004.
4. Benos, L., Tagarakis, A. C., Dolias, G., Berruto, R., Kateris, D., &Bochtis, D. (2021). Machine learning in agriculture: A comprehensive updated review. *Sensors*, *21*(11), 3758.
5. Charoen-Ung, P., &Mittrapiyanuruk, P. (2018, July). Sugarcane yield grade prediction using random forest and gradient boosting tree techniques. In *2018 15th International Joint Conference on Computer Science and Software Engineering (JCSSE)* (pp. 1-6). IEEE.
6. de Souza, F. L. P., Dias, M. A., Setiyono, T. D., Campos, S., Shiratsuchi, L. S., & Tao, H. (2025). Identification of soybean planting gaps using machine learning. *Smart Agricultural Technology*, *10*, 100779.
7. Elavarasan, D., & Vincent, P. D. (2020). Crop yield prediction using deep reinforcement learning model for sustainable agrarian applications. *IEEE access*, *8*, 86886-86901.
8. Jhuria, M., Kumar, A., & Borse, R. (2013, December). Image processing for smart farming: Detection of disease and fruit grading. In *2013 IEEE second international conference on image information processing (ICIIP-2013)* (pp. 521-526). IEEE.
9. Mazuryk, J., Klepacka, K., Kutner, W., & Sharma, P. S. (2023). Glyphosate separating and sensing for precision agriculture and environmental protection in the era of smart materials. *Environmental Science & Technology*, *57*(27), 9898-9924.
10. Meybeck, A., & Gitz, V. (2014). Why climate-smart agriculture, forestry and fisheries, Climate-Smart Agriculture Sourcebook. *Food and Agriculture Organization of the United Nations. Retrieved on*, 14-03.
11. Nicholson, S. E. (2017). Climate and climatic variability of rainfall over eastern Africa. *Reviews of Geophysics*, *55*(3), 590-635.
12. Pukrongta, N., Taparugssanagorn, A., &Sangpradit, K. (2024). Enhancing crop yield predictions with PEnsemble 4: IoT and ML-driven for precision agriculture. *Applied Sciences*, *14*(8), 3313.
13. Sai, S. R., Suresh, K. K., & Raman, C. J. (2023). An accurate plant disease detection technique using machine learning. *EAI Endorsed Transactions on Internet of Things*, *10*.
14. Sridhar, H. S., Divyashree, V. P., Keerthana, B. S., & Sushmitha, D. P. (2024, July). Design and demonstration of IoT and machine learning based smart irrigation system. In *AIP Conference Proceedings* (Vol. 3111, No. 1, p. 030009). AIP Publishing LLC.